

SAVIO LED POND LIGHT



- New Technology
- Incredible bulb life - 50,000 hours
- Emits almost no heat
- Energy efficient - 3 watts per unit!
- Use in or out of water
- 1 year warranty.

Item #	Name	Watts	Cable	Price
RAD1000	Small LED Light	6.5	20'	-
KRAD001	3 Small LED Lights w/Trans.	6.5	20'	-
RAD1020	Large LED Light	7.5	20'	-

SAVIO HALOGEN POND LIGHT



- Brilliant 20 watt halogen light.
- Offers more intense illumination than LED pond lights.
- Glass lenses.
- Extends hours of water garden enjoyment.
- Use in or out of water.
- 1 year warranty

Item #	Name	Watts	Cable	Price
RAD2000	Small Halogen Light	20	20'	-
RAD2020	Large Halogen Light	50	20'	-
107010	20W Repl. Bulb	20	-	-
107126	50W Repl. Bulb	50	-	-

UNDERWATER BRASS SPOT/ WELL LIGHT



- Heavy Duty commercial quality construction
- Water tight, ideal for ponds
- 15' cord
- 12V
- 50 Watts max
- 3" long x 3 3/8" Dia.
- Includes 20w bulb
- Use in or out of the pond
- 1 year warranty

Item #	Name	Price
GBT5006B	Brass Spot/Well Light	-
70700	20W Replacement Bulb	-

UNDERWATER FIBERGLASS POND LIGHT



- Requires transformer
- 15' cord (longer cord upon request), screw in stake
- Can be used under water or outside of the pond
- 12V
- 20 Watts max
- 4 1/4" long x 4" Dia.
- 1 year warranty

Item #	Name	Price
GBT5006U	Fiberglass Light	-
70700	20W Replacement Bulb	-

ALPINE LUMINOSITY LED POND LIGHTS



3 Pack LED



Small Single LED

Large Single LED



- Can be used underwater or in open air
- Built-in photo cells
- 2 year warranty
- Color lenses are red, green, yellow and blue
- 23' cord (5' of cord length between the 3 pack light set)

Item #	Name	Includes	Watts	Price
LED112T	Small Single LED	Light Base, 4 color lenses, photo cell, stake, & transformer	3.2	-
LED312T	3 pack LED	3 Light Bases, 4 color lenses, photo cell, stake, & transformer	9.6	-
LED236T	Large Single LED	Light Base, photo cell, stake, & transformer	4.8	-

ALPINE COLOR CHANGING 60 LED POND LIGHT



- Includes wireless controller
- Wireless controller changes light color
- Colors: Red, Blue & Green
- 60 LED bulbs
- 4.5 watts
- Aluminum housing
- Outdoor transformer
- 33' cord
- Use in or out of the pond
- 4" x 4" x 6"
- 2 year warranty

Item #	Name	Price
LED460TSL	Color Changing LED Pond Light	-



ALPINE LED POND LIGHT WITH CONTROLLER & TRANSFORMER



- Inline waterproof controller
- 72 LED bulbs
- 5 watts
- Aluminum housing
- Outdoor transformer
- 33' cord
- Use in or out of the pond
- 2 year warranty

Item #	Name	Price
LED572T	LED Light w/Inline Controller & Trans	-



NEW

**ALPINE COLOR CHANGING
144 LED POND LIGHT**

- Includes inline controller
- Inline controller changes light color
- Colors: Red, Blue & Green
- 144 LED bulbs
- 8 watts
- Weather proof pvc housing
- Outdoor transformer
- 33' cord
- Use in or out of the pond
- 6" x 6" x 8"
- 2 year warranty



Item #	Name	Price
LED6144T	Color Changing LED Pond Light	-

NEW

**ALPINE WARM LED LIGHT
WITH TRANSFORMER**

- Super Bright LED's
- 120 LED bulbs
- 8 watts
- Weather proof pvc housing
- Outdoor transformer
- 23' cord
- Use in or out of the pond
- 6" x 6" x 7"
- 2 year warranty



Item #	Name	Price
LED2120T	Warm LED Light w/Transformer	-

**ALPINE LOW VOLTAGE
TRANSFORMER & PHOTO CELL**

- Connects up to four lights or 60 watts total
- Photo Cell and Timer Photo Cell
- Settings of auto, 4, 6, or 8 hours and work photo cell
- 2 year warranty



Item #	Name	Price
PL102T	60 Watt Transformer	-
PL104T	100 Watt Transformer	-

**ALPINE WARM LED LIGHT WITH STAKE,
TRANSFORMER & PHOTOCELL**

NEW

- Super Bright LED's
- 3 LED bulbs
- Weather proof housing
- Use in or out of the pond
- 6" x 6" x 6"



Item #	Name	Price
LED9003T	Warm LED Light w/Stake,Transformer	-

NEW

ALPINE 300 WATT TRANSFORMER

- Photo cell
- Digital timer for 4, 6 or 8 hours
- Photo cell & digital timer can work together
- Weather proof pvc housing
- 9" x 5" x 5"
- 2 year warranty



Item #	Name	Price
PL108T	300 Watt Transformer	-

NEW

ALPINE 200 WATT TRANSFORMER

- Photo cell
- Digital timer for 4, 6 or 8 hours
- Photo cell & digital timer can work together
- Weather proof pvc housing
- 9" x 5" x 5"
- 2 year warranty



Item #	Name	Price
PL106T	200 Watt Transformer	-

**CONNECTION SOCKET
FOR TRANSFORMERS**

- 3 Watt Transformer can accept 3 lights.
- 4 Watt Transformer can accept 4 lights.
- 6 Watt Transformer can accept 6 lights.



Item #	Name	Price
PL3	3 way socket connection	-
PL4	4 way socket connection	-
PL6	6 way socket connection	-

**SAVIO TRANSFORMERS
AND 3-WAY SPLITTER**



Item #	Name	Price
RADTR20	20W Transformer	-
RADTR50	50W Transformer	-
RADSP03	3-Way Splitter	-

QUICK LIGHTING CABLE

Water tight cable allows you to have many Alpine lights connected to 1 transformer but with a single cord. Quick connect located every 5'.



Item #	Name	Price
PL325	25' Cable	-
PL350	50' Cable	-

REPLACEMENT LIGHT BULBS

Item #	Name	Price
107006	JC5 - 5 Watt	-
107010	JC20 - 20 Watt	-
107100	MR11 - 20 Watt	-
70700	MR16 - 20 Watt	-
107126	MR16 - 50 Watt	-
107868	Par 38 - 120 Watt	-



LITTLE GIANT EGGLITES



- Used wet or dry
- Suitable for fresh, salt or chlorinated water
- Works with any transformer.

The transformer and all connections must remain dry.

LEK3-10W

The EggLite 3 pack contains

- LCE-10W – Three 10-watt EggLites
- LTR-60W – One 60-watt transformer (up to six 10-watt EggLites can be run in series using our standard 60-watt transformer)
- LMB-SS – Three magnetic bases with stainless steel screws and nuts
- LDLS-4 – Three dichroic lens sets (blue, red, yellow and green)
- LEC-5M – One 16' extension cord with connectors
- LMS-2PC – Three mounting stands
- LFL-CLR – Three clear front lens covers

LCE-10W or LCE-20W

Wet or Dry EggLite includes

- EggLite
- 60-watt transformer (up to six 10-watt or three 20-watt EggLites can be run in series using our standard 60-watt transformer)
- Mounting stand
- Clear front lens cover
- Four color dichroic lenses
- Magnetic base with stainless steel screw and nut
- Each EggLite has 10' of cord and is 3" tall with base attached

EGGLITE ACCESSORIES

Item #	Description	Price
517401	EggLite 4 Color Lens Set	–
517403	16' Extension Cord	–
517405	Front Lens for EggLite	–
517407	Magnetic Base	–
517409	Mounting Stand	–
517410	10W Replacement Bulb	–
517411	20W Replacement Bulb	–
517412	60W Transformer	–

Item #	Description	Dimensions	Price
517400	Single EggLite 10W Kit	2" dia. x 2.5"	–
517404	Single EggLite 20W Kit	2" dia. x 2.5"	–
517502	3 Pack EggLites 10W Kit	2" dia. x 2.5"	–
517402	10W EggLite	2" dia. x 2.5"	–
517406	20W EggLite	2" dia. x 2.5"	–

LITTLE GIANT LED EGGLITES



LED EggLites

- Two LED lights with 16" positionable pliable cords.
- 10' low voltage power cord with 3-way outlet that connects lights to transformer.
- Transformer not included.



LED Solar EggLite Panel

- Powers up to 6 LED EggLites.
- Weather resistant.
- Automatically turns lights on/off.
- Solar panel charges Lithium Polymer battery.
- 12" cord



LED EggLite & Transformer

- Transformer that can run up to 12 LED EggLites.
- Two white LED lights with 16" positionable pliable cords.
- 10' low voltage power cord with a 3-way outlet that connects lights to the LED EggLite transformer.



LED EggLite Cord

- Rated for in or out-of-pond use.
- Low voltage cord for safe operation.
- Use to display EggLites across greater distances.
- M/F extension to use between 3-way adapter and light.



LED Solar Powered EggLite Kit

- Fully submersible lights and cord or use out-of-pond.
- 20 hours run time on full charge (2 lights).
- Powers up to 6 LED EggLites.
- Automatically turns lights on/off.
- Light has 12' cord.
- Panel has 10' cord.



LED EggLite Transformer

- Low Voltage.
- Powers up to 12 LED EggLites.

Item #	Description	Warranty	Color	Dimensions	Price
566439	Extra LED EggLite	3 years	Red	1.25" x 1.5"	–
566440	Extra LED EggLite	3 years	White	1.25" x 1.5"	–
566441	Extra LED EggLite	3 years	Green	1.25" x 1.5"	–
566442	Extra LED EggLite	3 years	Blue	1.25" x 1.5"	–
566443	Complete LED EggLite Kit	3 years	White	–	–
566420	LED Solar EggLite Kit	3 years	White	–	–
566430	LED Solar EggLite Panel	1 year	–	4" x 8" x 2"	–
566435	LED EggLite Transformer	1 year	–	–	–
566449	10' LED EggLite Cord	–	–	10' Long	–

LITTLE GIANT UNDERWATER LIGHT WITH BASE

- One year warranty on fixture.
- 8" x 5 1/2" x 5 1/2" with bracket attached.
- 4" height (light only).
- 6 1/2" diameter (light only).
- 115 volt 250 watt tungsten halogen bulb.
- Convenient swivel stand included for easy placement.
- Lamp mounted in stainless steel case with heavy cast brass grill.
- Must be totally submersed in water for cooling.
- Thermally protected.



Item #	Cord Length	Watts	Price
517413	20'	250	-
517414	50'	250	-
517415	100'	250	-

LAGUNA POWERGLO (12 LED) POND LIGHTS

- Used in or out of the water
- On/off photo sensor
- 3.5" dia. x 3.5"
- 3 year warranty.



Item #	# of Lights	Price
PT1579	3	-
PT1577	Replacement Bulb	-

LAGUNA POWERGLO (40 LED) POND LIGHTS

- Used in or out of the water
- On/off photo sensor
- 3.5" dia. x 3.5"
- 3 year warranty.



Cord Lengths

Light to light: 8.2'
Light to transformer: 29.7'
Transformer to plug: 3'

Item #	# of Lights	Price
PT1565	2	-

ATLANTIC WATER GARDENS COMPACT LED SPOTLIGHT

Atlantic's Compact LED Spotlight is the smallest, most powerful "bullet" style submersible light available. The high power, 3000K, warm white LED that blends seamlessly with traditional halogen lighting fixtures. The 4-way splitter simplifies installation and is compatible with all SOL Lighting models.



- Warm White color
- Open air or under water
- 12 volt
- 3 Watts
- 1" W x 2 3/8" L
- 1 year warranty

Compact LED Spotlight Kit Includes:

- LED Spotlight
- 20' Power Cord w/quick connect plug, Ground stake, transformer & 4-way splitter.



Item #	Description	Price
SOL3WC	Compact LED Spotlight Kit	-
SOL3WE	Compact LED Spotlight	-
SOL20x4	20W Transformer and 4-Way Splitter	-

LAGUNA POWERGLO MINI HALOGEN LIGHTS

- Three 10 watt halogen lights (2 1/8" x 2 3/4") that can be angled in the desired position.
- 12 volt transformer.
- 3 colored lenses.
- 12 volts
- 1.2 Watts
- Cord: 22.5" between lights, 19' between 1st light and transformer
- 3 year warranty.



Item #	Name	Price
PT1550	PowerGlo Halogen Lights	-
PT1551	Replacement Bulbs 3 pk.	-
PT1552	Red Lens Set	-
PT1553	Blue Lens Set	-
PT1554	Amber Lens Set	-

ALPINE SUBMERSIBLE 10W HALOGEN LIGHT KIT

10 Watt halogen light system includes 10 watt halogen light, transformer, 4 color lenses and 8' cable. Two-year limited warranty. **Important:** Damage to light may occur if the unit is not fully submerged.



Item #	Dimensions	Price
PL1008T	2" L x 2" W x 1" H	-

ALPINE SUBMERSIBLE 5W HALOGEN LIGHT KIT

5 Watt halogen light system includes 5 watt halogen light, transformer, 4 color lenses and 8' cable. Two-year limited warranty. **Important:** Damage to light may occur if the unit is not fully submerged.



Item #	Watts	Price
UL105CL	5 W	-

ATLANTIC WATER GARDENS LED FOUNTAIN LIGHT

- Includes: LED fountain with 3/4" inlet, outdoor transformer & 16' power cord
- Built-in photo cell
- 1.2 volts
- 1" dia. x 2.25"
- 1 year warranty



Item #	Price
AWGFT1	-

ILLUMINFX LIGHTING



- The IlluminFx Fiber Optic Pond Lighting system consists of a specialized light source enclosed in a box called an illuminator.
- Up to sixteen individual fiber optic cables are bundled together at one end and terminate in front of the light source inside the illuminator.
- Multiple "end points" of light, or light fixtures may be illuminated by just one light bulb.
- No heat or electricity travels through the fibers, making fiber safe for many environments.
- The light source may be positioned in a remote location away from the light output, allowing easy access to the source for lamp changes.
- A color wheel can be placed between the light source and the fiber to create colored light.
- Easy to place and hide.
- The wheel may be stopped at one color or may rotate continuously from color to color.
- The color wheel consists of white, green, magenta and blue.
- Use underwater, next to the water, out of the water, between rocks or virtually anywhere one wishes to place them.
- 1 light bulb is able to illuminate up to 16 separate fixtures, placed in and around the pond.
- Once placed, there is no need to wade back into the water to change a light bulb; the light bulb is located outside the pond in an easily accessible location.
- These fixtures are about 1/2" diameter at the widest point and are around the size of a ball pint pen cap.
- Kits include; illuminator with 4-color wheel, pre-cut, preassembled fiber optic cable harness, designated number of fixtures, installation & maintenance manuals.

Any length combination is available. Maximum cable length is 50'. Please call for pricing on custom lengths.

Series 2

- Kits include a 250W Quartz halogen illuminator with rated lamp life of 400-700 hours. This illuminator offers instant-on and lowest cost. 25 fiber strands

Series 6

- Kits include a 150W metal halide illuminator with rated lamp life of 6000 hours. Our brightest, most energy efficient illuminator, requires several minutes to full brightness, and a 3-5 minute restrike time. 25 fiber strands

Series 7

- High Light Output kits include a 150W metal halide illuminator with rated lamp life of 6000 hours. Each fiber optic cable contains twice as many fibers as our popular Series 2 and Series 6 kits. 50 fiber strands per fixture.

Item #	Name	Bulb	Series	Quantity & Cable Length	Price
AQ-2404	4-Light Guppie Fiber Optic	Halogen	2	(2) 12' - (2) 16'	-
IFX-7404	4-Light Fiber Optic	Metal Halide	7	(2) 20' - (2) 30'	-
IFX-7406	6-Light Fiber Optic	Metal Halide	7	(2) 20' - (2) 30' - (2) 40'	-
AQ-2408	8-Light Fiber Optic	Halogen	2	(2) 10' - (2) 12' - (4) 20'	-
AQ-6408	8-Light Fiber Optic	Metal Halide	6	(2) 10' - (2) 12' - (4) 20'	-
IFX-7408	8-Light Fiber Optic	Metal Halide	7	(2) 20' - (4) 30' - (2) 40'	-
AQ-2412	12-Light Fiber Optic	Halogen	2	(2) 10' - (4) 12' - (2) 18' - (2) 20' - (2) 22'	-
AQ-6412	12-Light Fiber Optic	Metal Halide	6	(2) 10' - (4) 12' - (2) 18' - (2) 20' - (2) 22'	-
AQ-2416	16-Light Fiber Optic	Halogen	2	(6) 12' - (2) 20' - (4) 22' - (4) 30'	-
AQ-6416	16-Light Fiber Optic	Metal Halide	6	(6) 12' - (2) 20' - (4) 22' - (4) 30'	-

ILLUMINFX TADPOLE LIGHTING



Tadpole LED Fiber Optic includes three or four eight foot lengths of EEF-25 strand Sunburst or EEF-50 strand Sunburst II, end emitting fiber, powered by one LED (white only) or one LEDC (RGB color changing illuminator). These kits operate off of 12-24V, AC or DC power supplies and consume 3 watts. Tie into an existing low voltage transformer or even use it in a vehicle running off the DC power. Tadpole LED Fiber Optic Kits have a life of 50,000 hours.

ACCESSORIES

Item #	Name	Price
KL60-WW-MT	MR16 Lamp - 3.4W LED Repl. Bulb White	-

Item #	Description	Light Source	Fibers	Price
LED-325	3 Light Tadpole	LED (White Only)	25 Strand Sunburst	-
LED-350	3 Light Tadpole	LED (White Only)	50 Strand Sunburst II	-
LEDC-325	3 Light Tadpole	LEDC (RGB color changing Illuminator)	25 Strand Sunburst	-
LEDC-350	3 Light Tadpole	LEDC (RGB color changing Illuminator)	50 Strand Sunburst II	-
LED-425	4 Light Tadpole	LED (White Only)	25 Strand Sunburst	-
LED-450	4 Light Tadpole	LED (White Only)	50 Strand Sunburst II	-
LEDC-425	4 Light Tadpole	LEDC (RGB color changing Illuminator)	25 Strand Sunburst	-
LEDC-450	4 Light Tadpole	LEDC (RGB color changing Illuminator)	50 Strand Sunburst II	-



ILLUMINFX RIO LIGHTING CONTROL CENTER

Programming Lighting Control could not be simpler! The RIO Control Center includes DC power supplies and DMX Decoders so all you need to do is plug the RGB light fixtures into the bottom of the box. Another outlet for data goes back to the wall mounted controller which includes 4 programmable presets for scenes, along with a color dial and dimmer.

The Rio Programmable Controller tells the DMX Decoder what each light outlet is to do. All lights that are connected to a single outlet on the DMX Decoder will do the same thing. For example, if you tell the DMX Decoder (via the Controller) to display outlet 1 as blue lights, all of the lights connected to outlet 1 will shine blue. Each outlet can display different colors. Cords & lights are sold separately.



Item #	Description	Watts	Volts	Outlets	Dimensions	Price
E600/S	Rio Programmable Controller	-	-	-	4 3/8" L x 4" W x 1" D	-
RC3-075-12	Rio 3 DMX Decoder	75	12	3	12" x 10" x 6"	-
RC3-075-24	Rio 3 DMX Decoder	75	24	3	12" x 10" x 6"	-
RC3-150-24	Rio 3 DMX Decoder	150	24	3	12" x 10" x 6"	-
RC3-450-24	Rio 3 DMX Decoder	450	24	3	12" x 10" x 6"	-
RC5-075-12	Rio 5 DMX Decoder	75	12	5	12" x 10" x 6"	-
RC5-075-24	Rio 5 DMX Decoder	75	24	5	12" x 10" x 6"	-
RC5-150-24	Rio 5 DMX Decoder	150	24	5	12" x 10" x 6"	-
RC5-375-24	Rio 5 DMX Decoder	375	24	5	12" x 10" x 6"	-
RC8-150-24	Rio 8 DMX Decoder	150	24	5	12" x 10" x 6"	-
RC8-240-24	Rio 8 DMX Decoder	240	24	5	12" x 10" x 6"	-

ILLUMINFX RIO 3" (3) LED LIGHT WITH STAND

- 3x2W LED array
- 24 VDC
- 3-in-1 RGB color lense
- 30° beam angle



Item #	Price
MR4-L32-1AXC-S-201M	-

ILLUMINFX RIO 3" (6) LED LIGHT W/O STAND

- 6x2W LED array
- 24 VDC
- 3-in-1 RGB color lense
- 30° beam angle



Item #	Price
MR3-L62-1DXC-S-201M	-

ILLUMINFX RIO 3" (6) LED LIGHT WITH STAND

- 6x2W LED array
- 24 VDC
- 3-in-1 RGB color lense
- 30° beam angle



Item #	Price
MR5-L62-2DXC-S-201M	-

ILLUMINFX RIO CONNECTION CABLE

Used to connect the Rio Controller to the DMX Decoder or the DMX Decoder to the Rio 3-Way Connector



Item #	Length	Price
AC02	2'	-
AC10	10'	-
AC20	20'	-
AC30	30'	-

STAND FOR THE 3" (6) LED LIGHT W/O STAND



Stand for the MR3-L62-1DXC-S-201M light.

Item #	Price
MR3-BRACKET	-

ILLUMINFX RIO 3-WAY CONNECTOR



Connect multiple Rio lights to one DMX Decoder outlet with the Rio 3-Way Connector.



Item #	Price
JB3-4	-

ILLUMINFX MANTA RAY LED LIGHT



- High Brightness
- Low power consumption (3.4 watts)
- Beam Angle: 60 or 40 degrees
- Lamp colors: Warm White and Cool White
- Constant Current Circuit
- Long Life: 50,000 hours
- Up to 70 lumens per watt
- Completely Submersible
- No UV radiation



Item #	Price
MR1-W	-

ILLUMINFX OSLO LED LIGHT

- 12 VDC
- Warm White
- 30° beam angle
- 6m cable



Item #	# of LED Lights	Price
MR3-L62-1AWC-S-20HW	6	-
MR4-L32-1AWC-S-20HW	3	-
MR5-L62-1AWC-S-20HW	6	-

UNIVERSAL LIGHTING SYSTEMS AREA FLOOD LIGHT



AF1100
AF2100



AF1900
AF2900



ARCHITECTURAL
BRONZE



WEATHERED
BRONZE

Color shown on product image is Not the actual color of the item. See color to the left for actual color.

Material/Features

- Cast Aluminum or Brass
- Heat Resistant Frosted Glass Lens
- One piece anodized aluminum reflector
- Includes (GS1) ABS Ground Stake
- EPDM Rubber Bug Plug, prevents moisture/bugs from entering fixture
- Thumb Screw on knuckle for easy field adjustment

FINISH

- Weather Resistant Powder Coat Finish - Aluminum
- Weather Resistant Chemical Finish - Brass

ELECTRICAL

- 3' - #18/2 Direct Bury Landscape Lighting Wire
- Optional - 25' - #16/2 Direct Bury Landscape Lighting Wire

HALOGEN LAMP

- Hi-temp ceramic socket w/stainless steel spring
- Includes 12 Volt T3 20 watt XENON Bi-pin Bulb
- Max Wattage 35

Item #	Color	Material	Volts	Watts	Dimensions	Lighted Area	Price
AF1100AZ	Architectural Bronze	Aluminum	12	20	4 3/4" x 3" x 6 1/2"	20' W x 10' H	-
AF2100WB	Weathered Bronze	Brass	12	20	4 3/4" x 3" x 6 1/2"	20' W x 10' H	-
AF1900AZ	Architectural Bronze	Aluminum	12	20	4 7/16" x 2" x 5 1/2"	10' W x 8' H	-
AF2900WB	Weathered Bronze	Brass	12	20	4 7/16" x 2" x 5 1/2"	10' W x 8' H	-

UNIVERSAL LIGHTING SYSTEMS DIRECTIONAL LIGHT



ARCHITECTURAL
BRONZE



WEATHERED
BRONZE

Color shown on product image is Not the actual color of the item. See color to the left for actual color.

MATERIAL/FEATURES

- Cast Aluminum or Cast Brass options available
- Heat Resistant Glass Lens (Convex x101 & x102 only)
- Includes (GS1) ABS Ground Stake
- EPDM Rubber Bug Plug, prevents moisture/bugs from entering fixture
- Thumb Screw on knuckle for easy field adjustment
- Double "O" Ring Seal for added moisture protection

FINISH

- Weather Resistant Powder Coat Finish - Aluminum
- Weather Resistant Chemical Finish - Brass

ELECTRICAL

- 3' - #18/2 Direct Bury Landscape Lighting Wire
- Optional - 25' - #16/2 Direct Bury Landscape Lighting Wire

LAMP


- Hi-temp ceramic socket w/stainless steel spring
- Includes 12 Volt MR16 20 watt HALOGEN Bi-pin Bulb

LED


- 5 Watt Warm white high powered LED
- 5 Watt cool white high powered LED
- LED operating range 10v - 22v

Item #	Color	Material	Lamp	Volts	Watts	Dimensions	Price
DS1102AZ	Architectural Bronze	Aluminum	Halogen	12	20 - 50	2 1/3" Dia. x 7 1/2"	-
DS1102AZ-5LED	Architectural Bronze	Aluminum	LED	10 - 22	5	2 1/3" Dia. x 7 1/2"	-
DS2102WB	Weathered Bronze	Brass	Halogen	12	20 - 50	2 1/3" Dia. x 7 1/2"	-

UNIVERSAL LIGHTING SYSTEMS DECK LIGHT



WEATHERED
BRONZE



ARCHITECTURAL
BRONZE

Color shown on product image is Not the actual color of the item. See color to the left for actual color.

WEATHERED BRONZE

MATERIAL/FEATURES

- Heat resistant glass
- Dimensions: 3 1/2" Dia. x 2"

LAMP

- Includes 12 Volt T3 20 watt XENON Bi-pin Bulb
- Maximum 20 watt

FINISH

- Weather Resistant Finish

ELECTRICAL

- 5' - #18/2 Direct Bury Landscape Lighting Wire

Item #	Color	Lamp	Material	Price
*DL1100AZ	Architectural Bronze	Halogen	Aluminum	-
*DL2100WB	Weathered Bronze	Halogen	Brass	-

UNIVERSAL LIGHTING SYSTEMS UNIVERSAL POST

MATERIAL/FEATURES

- Includes (GS1) ABS Ground Stake
- Multiple Shade Designs (Sold Separately)

LAMP

- Includes 12 Volt T3 20 watt XENON Bi-pin Bulb
- Maximum 20 watt

LED

- 3 Watt warm (2,700k) white high powered LED

FINISH

- Weather Resistant Powder Coat Finish

ELECTRICAL

- 3' - #18/2 Direct Bury Landscape Lighting Wire

AREA / SPACING

- Illuminates an approximate area ranging from 4' to 12' depending on shade design used
- Suggested spacing varies from 6' to 15'



Item #	Color	Lamp	Material	Volts	Watts	Height	Price
UP1112AZ	Architectural Bronze	Halogen	Aluminum	12	20	12" tall	-
UP2112WB	Weathered Bronze	Halogen	Brass	12	20	12" tall	-
UP1115AZ	Architectural Bronze	Halogen	Aluminum	12	20	15" tall	-
UP1115AZ-3LED	Architectural Bronze	LED	Aluminum	10 - 22	3	15" tall	-
UP2115WB	Weathered Bronze	Halogen	Brass	12	20	15" tall	-
UP2115WB-3LED	Weathered Bronze	LED	Brass	10 - 22	3	15" tall	-

UNIVERSAL SHADE ROUND

- Powder Coated Aluminum
- All shades screw on to post with no tools



Item #	Dimensions	Price
US1104AZ*	6.75" Dia. x 2.75"	-

UNIVERSAL SHADE CLASSIC

- Powder Coated Brass
- All shades screw on to post with no tools



Item #	Dimensions	Price
US2119WB*	6" Dia. x 2.25"	-

* COLOR SHOWN ON PRODUCT IMAGES IS NOT THE ACTUAL COLOR OF THE ITEM. SEE COLOR BELOW FOR ACTUAL COLOR.



ARCHITECTURAL BRONZE



WEATHERED BRONZE

UNIVERSAL SHADE CHINA HAT

- Powder Coated Aluminum
- All shades screw on to post with no tools



Item #	Dimensions	Price
US1118AZ*	8.25" Dia. x 2.5"	-

UNIVERSAL SHADE SIMPLE ROUND

- Dimensions: 7.5" Dia x 2.5"
- All shades screw on to post with no tools



Item #	Color	Material	Price
US1117AZ*	AZ	Aluminum	-
US2117WB*	WB	Brass	-

UNIVERSAL SHADE PETITE

- Dimensions: 3.5" Dia x 1.5"
- All shades screw on to post with no tools



Item #	Color	Material	Price
US1116AZ*	AZ	Aluminum	-
US2116WB*	WB	Brass	-

UNIVERSAL LIGHTING SYSTEMS STEP LIGHT

STEP LIGHT COVER

- Aluminum or Brass
- Louvered or Frosted Lens Covers
- Weather Resistant Powder Coat Finish

STEP LIGHT BOX

- High temperature polymer, corrosion resistant box
- 3' - #18/2 Direct Bury Landscape Lighting Wire
- Hi-temp ceramic socket w/stainless steel spring
- Includes 12 Volt T3 20 watt XENON Bi-pin Bulb



LOUVERED



FROSTED

Item #	Description	Color	Lens	Material	Lamp	Volts	Watts	Dimensions	Price
SLC1100AZ*	Full Size Cover	AZ	Louvered	Aluminum	-	-	-	8 3/4" x 2 7/8" x 5/8"	-
SLC1101AZ*	Full Size Cover	AZ	Frosted	Aluminum	-	-	-	8 3/4" x 2 7/8" x 5/8"	-
SLC1110AZ*	Half Size Cover	AZ	Louvered	Aluminum	-	-	-	4 1/2" x 2 7/8" x 5/8"	-
SLC1111AZ*	Half Size Cover	AZ	Frosted	Aluminum	-	-	-	4 1/2" x 2 7/8" x 5/8"	-
SLC2100WB*	Full Size Cover	WB	Louvered	Brass	-	-	-	8 3/4" x 2 7/8" x 5/8"	-
SLC2101WB*	Full Size Cover	WB	Frosted	Brass	-	-	-	8 3/4" x 2 7/8" x 5/8"	-
SLC2110WB*	Half Size Cover	WB	Louvered	Brass	-	-	-	4 1/2" x 2 7/8" x 5/8"	-
SLC2111WB*	Half Size Cover	WB	Frosted	Brass	-	-	-	4 1/2" x 2 7/8" x 5/8"	-
SLB8100BK	Full Size Box	Black	-	High Temp Polymer	Hal	12	20	8 5/8" x 2 1/2" x 3"	-
SLB8100BK-5LED	Full Size Box w/LED	Black	-	High Temp Polymer	LED	10 - 22	3 - 5	8 5/8" x 2 1/2" x 3"	-
SLB8110BK	Half Size Box	Black	-	High Temp Polymer	Hal	12	20	4 9/16" x 2 1/2" x 3"	-
SLB8110BK-3LED	Half Size Box w/LED	Black	-	High Temp Polymer	LED	10 - 22	3 - 5	4 9/16" x 2 1/2" x 3"	-

UNIVERSAL LIGHTING SYSTEMS MAGNETIC TRANSFORMER



- 304 Stainless Steel Case
- Quick Mount Bracket Allows for mounting without templates
- Sealed removable, lockable hinged doors
- Large terminal blocks allow for 10 #12/2 or 8 #10/2 wire
- 6' Heavy Duty Power Cord
- Primary Side Thermal Protection
- Secondary Side Magnetic Circuit Breakers
- Surge Suppressor provides protection against initial start overload on primary circuits
- Volt Taps: 12, 13, 14, 15
- Lifetime Warranty

Item #	Watts	Dimensions	Price
MTM0300SS	300	6 1/5" x 16 1/2" x 6"	-
MTM0600SS	600	6 1/5" x 16 1/2" x 6"	-
MTM0900SS	900	8 1/2" x 17 1/2" x 7"	-
MTM1200SS	1200	8 1/2" x 17 1/2" x 7"	-

UNIVERSAL LIGHTING SYSTEMS SINGLE TAP TRANSFORMER



- 304 Stainless Steel Case
- Quick Mount Bracket Allows for mounting without templates
- Sealed removable, lockable hinged doors
- Muted Stainless Steel Finish
- Large terminal blocks allow for 10 #12/2 or 8 #10/2 wire
- 6' Heavy Duty Power Cord
- Primary Side Thermal Protection
- Secondary Side Magnetic Circuit Breakers
- Surge Suppressor provides protection against initial start overload on primary circuits
- 12 Volts
- Lifetime Warranty

Item #	Watts	Dimensions	Price
STL040SS	40	6 1/5" x 16 1/2" x 6"	-
STL070SS	70	6 1/5" x 16 1/2" x 6"	-
STL150SS	150	8 1/2" x 17 1/2" x 7"	-

ALPINE WATER FEATURE FOGGERS



FG100



FG101L



FG203LR



FG104LWC



FG202LR

Simply place in fountain, plug it in, and instantly the free flowing fog creates an atmosphere of mystery and intrigue. Adding a few drops of essence oil produces a beautiful aroma to immediate surroundings, enhancing the mood. 1 year limited warranty.

Item #	Name	Dimensions	Cord	Replacement Disc's	Price
FG100	The Fogger	2" Dia. x 2" H	16'	FGDR1 - Single Disk / \$2.80	-
FG101L	The Fogger w/LED	2" Dia. x 2" H	16'	FGDR1 - Single Disk / \$2.80	-
FG104LWC	Fogger w/LED & Wireless Controller	2" Dia. x 2" H	16'	FGDR1 - Single Disk / \$2.80	-
FG203LR	3-Head Mini Fogger w/LED	3" Dia. x 3" H	33'	FGDR4 - 3 Disk / \$8.90	-
FG202LR	5-Head Fogger w/LED	4" Dia. x 3" H	33'	N/A	-

POND MAINTENANCE

LAGUNA POWERCLEAN CORDLESS POND CLEANER



Solids Handling – two rotating blades break up debris making it easier to pass through the unit and into the debris bag.

Brush Attachment – loosens debris allowing it to be removed from the pond. Recycles water into the pond or garden.

Includes: Shoulder Strap, Debris Bag, Rechargeable lithium Battery with charger.

- Continuous water flow
- Easy prime
- Lightweight and balanced
- Battery operated
- Telescopic reach extends to 92.5" in length
- 3 year warranty

Item #	Name	Watts	Price
PT840	PowerClean	61 W	-
PT845	PowerClean Replacement Battery	-	-