

## SAVIO SKIMMERFILTER




- Provides complete filtration for ponds under 1000 gallons.
- Traps large debris for easy removal & pump protection.
- Removes up to 85% of debris.
- Supports biological health, provides mechanical filtration and polishes water.
- Eliminates green water & improves water quality when operated with optional UVC.

### What makes the Savio Skimmer Better

- Sturdy non-skid cover with security lock nuts.
- Built-in UV ports to house optional UV Clarifiers.
- Optional external pump connection.
- Integrated water-stop flange for concrete installations.
- One-click locking weir allows complete isolation for cleaning & winterization.
- Comes with free design & construction guide.
- 5 year warranty.

- 1 **Macro Filtration** - Traps large debris for easy removal and pump protection.
- 2 **Skimmer Filtration** - Removes up to 85% of debris.
- 3 **Biological Filtration** - Supports health, provides mechanical filtration and polishes water.
- 4 **UV Filtration** - Eliminates green water and improves water quality when operated with optional UV Clarifier.



Item #	Weir Faceplate	Flow Rate	Dimensions	Pump Area	Price
SS0000/SSW6000	6"	500-2500 gph	24" W x 28" L x 20" H	7" W x 13" L x 18" H	-
SS0000/SSW8500	8.5"	1800-5000 gph	24" W x 28" L x 20" H	7" W x 13" L x 18" H	-
SS0000/SSW16000	16"	5000-8500 gph	24" W x 28" L x 20" H	7" W x 13" L x 18" H	-

### SAVIO DISCHARGE KITS

Item #	Pumps	Price
K3011	Water Master Clear Pumps	-
K3013	WMS1450 - 3600	-
K3016	WMS 5000 & 6500	-

### SAVIO SKIMMERFILTER ACCESSORIES

Item #	Name	Price	Item #	Name	Price
SUV026	26 Watt UVinex Assembly	-	RS002	Replacement Lid	-
SUV050	50 Watt UVinex Assembly	-	RS003	Replacement Basket	-
RU2601	26W Transformer	-	RS024	Repl. Media Frame Assy.	-
RU5001	50W Transformer	-	RS020	Replacement Mat	-
RU2603	26 Watt UVinex Bulb (2 prong)	-	RS023	Screw Package	-
RU5003	50 Watt Bulb (2 prong)	-	RS105	Baffle Shield Left Side	-
K1001	Mid-Water Intake Kit	-	RS106	Baffle Shield Right Side	-
K1002	External Pump Kit	-	RS019	Baffle Block	-
K1003R	Autofill Kit - Right	-	K5001	Stone Cover	-
K1003L	Autofill Kit - Left	-			

## SAVIO COMPACT SKIMMERFILTER



Sturdy multifunctional filtration reduces maintenance, collects debris, and hides unsightly pumps and plumbing.

- Traps large debris for easy removal & pump protection
- Removes up to 85% of debris
- Supports biological health, provides mechanical filtration and polishes water
- Eliminates green water & improves water quality when operated with optional UVC
- One built in UV port for optional UV clarifier
- Pump area: 8" wide x 14" tall
- 5 year warranty

**Savio Skimmer purchased before 2008 will need baffle shields for the new UV lights.**

Item #	Weir Faceplate	Flow Rate	Dimensions	Price
CS0000/CSW6000	6"	500-1800 gph	18" W x 23" L x 20" H	-
CS0000/CSW8500	8.5"	1800-3000 gph	18" W x 23" L x 20" H	-

### SAVIO COMPACT SKIMMER ACCESSORIES

Item #	Name	Price	Item #	Name	Price
RC005A	Replacement Basket w/Handle	-	SUV018	18 Watt UVinex Assembly	-
K3014	Discharge Kit WMS 1450,2050 & 3600	-	RU1801	18W Transformer	-
K3018	Discharge Kit for WMC Pumps	-	RU1803	18 Watt UVinex Bulb (2 prong)	-
RC020	2 piece media frame	-	RC002	Replacement Media	-
RC111	Baffle Shield	-	RC001	Screw Packet	-
			RC004	Replacement Lid	-

ATLANTIC WATER GARDENS BIG BAHAMA SKIMMERS

Big Bahama Skimmers and FilterFalls feature heavy-duty components that stand up to years of use. Skimmers come equipped with Super Flow weir doors, debris net and oversized brush panels that reduce maintenance. Atlantic also offers a complete line of accessories so you can customize your skimmer for every application. Best of all Atlantic stands behind its rugged enclosures with a Lifetime Warranty.



Item #	Faceplate	Flow Rate	Filtering	Matching Filterfalls	Dimensions	Price
PS3000	6"	1,000-3,800 gph	Basket	BF1900	13" W x 13" L x 25" H	-
PS4600	6"	2,000-4,000 gph	Net, Brush Panel	BF1900	19.5" W x 26" L x 22" H	-
PS7000	9"	4,000-7,000 gph	Net, Brush Panel	BF2600	25" W x 30" L x 24" H	-
PS15000	14"	7,000-15,000 gph	Net, Brush Panel	BF3800	28" W x 33" L x 31" H	-

ATLANTIC SKIMMER ACCESSORIES

Item #	Name	Skimmer	Price	Item #	Name	Skimmer	Price
BK4600	Replacement 4 Brush Kit	PS4600/PS4900	-	BK14000	Repl. Brush Kit	PS14000/PS20000	-
SM3900	Replacement Mat	PS3900	-	SM7000	Replacement Mat	PS7000/PS9500	-
SM4000	Replacement Mat	PS4000/PS4500	-	MK4600	Replacement Mat Kit	PS4600/PS4900	-
SM4600	Replacement Mat	PS4600/PS4900	-	MK7000	Replacement Mat Kit	PS7000/PS9500	-
SM5000	Replacement Mat	PS5000/PS9000	-	NT7000	Replacement Net	PS7000/PS9500	-
NT3000	Replacement Net	PS3000	-	NT15000	Replacement Net	PS15000	-
NT3900	Replacement Net	PS3900	-	NT14000	Replacement Net	PS14000/PS20000	-
NT4600	Replacement Net	PS4600/PS4900	-	AF1000	Auto Fill Kit	All	-
BS4000	Replacement Basket	PS4000/PS4500	-	GK600	Gate Keeper Brushes - 6" Weir	PS3000/4000/4600	-
BK7000	Repl. Brush Kit	PS7000/PS9500	-	GK900	Gate Keeper Brushes - 9" Weir	PS4500/4900/7000	-
BK15000	Repl. Brush Kit	PS15000	-	GK1400	Gate Keeper Brushes - 14" Weir	PS9500/PS14000	-

ATLANTIC FILTERFALL /SKIMMER COMBOS

FILT23 is designed for ponds up to 1,200 gallons and pump flows up to 2,500 gph.

FILT25 is designed for ponds up to 2,000 gallons and pump flows up to 2,500 gph.

FILT27 is designed for ponds up to 2,000 gallons and pump flows up to 4,000 gph.



Item #	Name	Price
FILT23	Combo BF1000/PS4000	-
FILT25	Combo BF1250/PS4000	-
FILT27	Combo BF1250/PS4500	-

ATLANTIC WATER GARDENS RETAIL SERIES SKIMMERS

- Rugged high-molecular weight polyethylene shell has a lifetime warranty.
- Each unit includes removable lid, filter mat, basket, and silicone.
- Dimensions: 17.5" x 24" x 22"  
PS3900 - 17.75" x 19.5" x 19.5"



Item #	Faceplate	Flow Rate	Filterfalls	Price
PS3900	6"	1,000-3,900 gph	BF1600	-
PS4000	6"	1,000-3,000 gph	BF1000/BF1250	-
PS4500	9"	2,000-4,000 gph	BF1500	-

ROCK LIDS FOR ATLANTIC SKIMMERS



RL140



RL70




RL40



RL30



Great Lakes



Desert



Mountain



Southern

**Dimensions**

- RL30 - 24" Dia. x 5"
- RL40 - 32" x 30" x 5"
- RL70 - 40" x 36" x 10"
- RL140 - 42" x 38" x 10"

**Skimmer**

- RL30 - PS3900
- RL40 - PS4000, PS4500, PS4600 & PS4900
- RL70 - PS7000 & PS9500
- RL140 - PS14000, PS15000 & PS20000

**Pump Vault**

- RL30 - PV1800, PV2300, & RHPV

Item #	Style	Price
RL30D	Desert	-
RL30G	Great Lakes	-
RL30M	Mountain	-
RL30S	Southern	-
RL40D	Desert	-
RL40G	Great Lakes	-
RL40M	Mountain	-
RL40S	Southern	-

Item #	Style	Price
RL70D	Desert	-
RL70G	Great Lakes	-
RL70M	Mountain	-
RL70S	Southern	-
RL140D	Desert	-
RL140G	Great Lakes	-

ROCK LID FOR POND SKIMMERS



Camouflage your pond skimmer, and create the natural illusion of a partially buried rock with these natural rock skimmer lids. The use of conventional rock as a skimmer lid is heavy, cumbersome and expensive, and the stripping of rock from the natural environment causes serious damage to their delicate ecosystems. Using natural molds, the skimmer lids are virtually indistinguishable from authentic bushrock and have been hand modified to ensure optimum water flow and control.

Item #	Dimensions	Price
SL-001	32" x 25" x 7"	-

LAGUNA SKIMAWAY



- 6 fully submersible super bright LEDs add accent lighting to plants and fish in pond.
- 4 adjustable feet for up to 2" of height adjustment.
- Separate gravel chamber for gravel or additional filter media such as Phos-X
- 200 GPH pump
- 4 pieces of filter foam (coarse & fine), provides mechanical/ biological filtration
- 4 fully submersible super bright LEDs add accent lighting to removable aquatic planting basket.
- Geyser style fountain head provides aeration to pond
- Removable debris basket
- Floating skimmer door with built-in fish guard - automatically adjusts to pond water level
- 2 Year Warranty

Item #	Name	Pond Size	Dimensions	Max Flow	Price
PT255	SkimAway	500 Gal	9.5" x 9.5" x 13.3"	200 gph	-
PT258	Fine Filter Pad (2)	-	-	-	-
PT259	Coarse Filter Pad (2)	-	-	-	-

LITTLE GIANT SKIMMERS

- Sturdy, easy to remove lid with optional sand fill port
- Easy to clean brushes help break up debris
- Heavy duty net catches large debris
- Handles large pumps
- Lockable skimmer door restricts water, easier cleaning and maintenance
- Plumb from either side
- Inlet screen prevents aquatic life from entering unit
- Bottom siphon parts
- Skimmers come with a bulkhead (fitting)
- 1 year warranty

**Pump Area:**  
 SK2.5: 7" x 10" x 20"  
 SK5: 8" x 13.5" x 20"  
 SK10: 11" x 18" x 20"



Item #	Name	Max. Flow	Dimensions	Price
566131	SK2.5	2,500 gph	17.24" x 23.25" x 21.73"	-
14940171	SK5	5,000 gph	17.5" x 24.5" x 23"	-
14940172	SK10	10,000 gph	23.5" x 30" x 23"	-

LITTLE GIANT SKIMMER ACCESSORIES

Item #	Name	Skimmer	Price	Item #	Name	Skimmer	Price
170311	Replacement Lid	S1000/SK5	-	14940343	Brush Repl. Kit	All	-
170312	Replacement Lid	S5000/SK10	-	566286	Auto-Fill Kit	All	-
170303	Repl. Inlet Screen	S1000/SK5	-	566009	115V Cut-Off Switch	All	-
170304	Repl. Inlet Screen	S5000/SK10	-	599211	115V/230V Cut-Off Switch	All	-
170465	Replacement Net	SK2.5	-	599318	230V Cut-Off Switch	All	-
170299	Replacement Net	S1000/SK5	-	566181	Bottom Drain Kit	All	-
170300	Replacement Net	S5000/SK10	-				
170473	Matala Pad	S10000/SK5	-				
170337	Matala Pad	S5000/SK10	-				
170338	Matala Pad	SK2.5	-				

LAGUNA POWERFLO SKIMMER FILTER 5000

- 3 large media chambers.
- Handles on all chambers for easy removal and cleaning.
- First chamber is super-sized and designed to collect leaves and large debris.
- Ample space for pump installation: 7" x 19" x 15"
- Self-adjusting floating door helps prevent fish from entering the filter.
- A winterizing and water drain.
- Heavy-duty construction with reinforced lid.
- For large ponds up to 5,000 US gallons.
- Mechanical filter pad
- Laguna Biospheres
- 1 year warranty



Item #	Pond Size	Flow Rate	Dimensions	Outlet	Price
PT1774	5,000 gal.	3,500 gph	21.5" W x 34.5" L x 20" H	2" Slip	-

PONDMASTER IN-POND SKIMMER/FILTER

Combination submersible filter and in-pond skimmer. Recommended pumps: Pond-Mag 18 & Pond Mag 24 pond pumps.



Item #	Description	Price
02240	In-Pond Skimmer/Filter	-

PRO ECO IN-POND SKIMMER

- Telescoping design easily adjusts without tools
- Self levels and floats within a 6" range
- Easy to install or retrofit, no need to cut liner
- Recommended flow rate between 1600 and 5500 gph
- 5 Year Warranty



Item #	Description	Price
IPS-200	In-Pond Skimmer	-